



To be the recognition brand in
global retail industry

HBAPOS

HBAPOS was Founded in 2008, dedicated to the retail industry

Our Philosophy

Where there is a cashier, there is HBAPOS.

HBAPOS[®]

| HBA (Guangzhou) Intelligent Technology Co., Ltd

Expanding the overseas market, Promoting HBAPOS brand

Taipei Computex Show

Taipei International Computer Show is the No. 1 in Asia and the second largest B2B professional computer show in the world.



GITEX TECHNOLOGY WEEK

The biggest tech show in the Middle East, North Africa & South Asia.



We joined this show from 2015-2019, we can show our newest products, and confirm many orders here.



We also participated many other exhibitions: Euroshop in Germany, Russia Retail, Thailand retail and so on.



Domestic market layout, enhance brand strategy



HBAPOS
Tianjin Expo



HBAPOS
Chengdu Expo



HBAPOS
The 12th China Business
Information Industry Conference
& Expo



HBAPOS
Tianjin Expo



HBAPOS
Chengdu Expo



HBAPOS
The 12th China Business
Information Industry Conference
& Expo



HBAPOS

is a leading POS (Point-of-Sale) solution provider. As an CE, FCC and RoHS certified manufacturer, The company grew with a strong R&D background and the whole team is committed to stay at the leading edge of the POS technology sphere.

- Our products include All in one POS System, Touch Screen Pos System, Android Pos System, Touch Screen Monitors, and many other POS peripheral devices. Known for providing high quality products, excellent services and best prices, our goal is to bring satisfaction to all of our customers.
- We make a point to stand in your shoes and think like a buyer so we can meet your needs quickly and accurately. Our sales representatives are highly motivated, enthusiastic, energetic, self-reliant professionals who are eager to help our customers with any needs they may have. In addition to answering all kinds of questions, they are passionate about providing our clients with the most recent product information, as well as helping you to decide on choosing products that are best suited to your needs.



Get ready for the overseas market(2016)

- Establish a Hong Kong subsidiary, go abroad and go to the world. Products are sold to more than 30 countries overseas.

Market layout(2014)


- Optimized the core product line, launched the key to build the market, participated in Hong Kong, China, Taiwan International Electronics Show

Unique products(2012)

- Established the domestic production base, became a professional pos system equipment manufacturer, and developed the first commercial pos system

Dreams set sail(2008)

- Established the domestic production base, became a professional pos system equipment manufacturer, and developed the first commercial pos system





Future(2022)

- Where there is a cashier, there is HBAPOS. To be the recognition brand in global retail industry.

To dream(2020)

- high-tech enterprises 4 invention patents
- Guangdong Excellent Business Circle
- Bona Business School Executive President Unit

Take advantage of the trend(2017)

- 2000 square meters of modern factory
- 4 invention patents
- 12 software copyrights
- Pass CCC, CE, RoHS and other certifications

HBAPOS . We are the most professional

Front Desk



Office



Workshop



Aging testing



Ready to ship



Our honor



HBAPOS[®]

Touch screen pos system Series

Wall mounted pos system



HBA-W15

HBA-W15	
Processors	Intel Core i3 (Dual Core 1.8Ghz)
Memory	4GB Standard, 1x SODIMM (Max. 8GB)
Storage	SSD 64GB, (Max. 256GB)
Operating Systems	Windows 7/8/10
Audio	Realtek ALC662-VD, support MIC/Line-out ports
Type	15" TFT LCD, LED Backlight
Resolution	1024 x 768
Brightness	300 cd/m ² (typ.)
Touchscreen	Projective Capacitive Touch
Display	1x VGA (With Power Output)
USB	4(USB 3.0 x1, USB 2.0 x 3)
COM	COM x2 RS232
LAN	PCI-E LAN 1000Mbps Ethernet
Audio	1x Line-out
Keyboard	PS/2x1
Parallel	LPT x1
Power Supply	Adaptor 24V, 2A
VESA mount	75*75mm/100*100mm
Certification	CE, FCC, CCC

HBA-Q2W

HBA-Q2W	
Processors	Intel Core i3 (Dual Core 1.8Ghz)
Memory	4GB Standard, 1x SODIMM (Max. 8GB)
Storage	SSD 64GB, (Max. 256GB)
Operating Systems	Windows 7/8/10
Audio	Realtek ALC662-VD, support MIC/Line-out ports
Type	12" TFT LCD, LED Backlight
Resolution	1024 x 768
Brightness	300 cd/m ² (typ.)
Touchscreen	Projective Capacitive Touch
Display	1x VGA (With Power Output)
USB	4(USB3.0 x1, USB 2.0 x 3)
COM	COM x2RS232
LAN	PCI-E LAN 1000Mbps Ethernet
Audio	1x Line-out
Keyboard	PS/2x1
Parallel	LPT x1
Power Supply	Adaptor 24V, 2A
VESA mount	75*75mm/100*100mm
Certification	CE, FCC, CCC

Handheld Pos Terminal

5.5 Inch High Definition Screen

Capacitive 5 points touch screen
720*1280Pixel LCD



58mm Thermal Printer



IC Card Reader



Magnetic card reader



NFC Reader



1D/2D barcode scanner



Reliability

- Flexible and secure platform
- Multiple connectivity: 4G / 3G / 2G / WiFi (2.4G&5G) / Bluetooth 4.2
- 1D & 2D Scan
- High capacity Polymer rechargeable battery, support more than 300 transactions & 3 days standby time.
- 50,000 hours average failure-free working time

Security

- PCI PTS 5.x certified
- Supports 3DES, ANSIX9.9, ANS9.8 algorithms

Handheld Pos Terminal



Main parameters

OS: Android 6.0
CPU: ARM Cortex-A7 Quad Core 1.3GHZ
RAM: 1GB FLASH: 8GB Nand Flash
LCD Screen: 5" HD, 1280*720, IPS
Touch Screen: Capacity Multi-point Touch Screen
Camera: 5M AF, support auto focus
Button: Power On Button, Volume Up/Volume Down
Speaker: Single Track 1W, Volume Up To 90 DB(Adjustable)
Microphone: 1*MIC, Acoustic Wave Payment Supported



Printer & NFC

Thermal Line Printing
Printing paper width: 58MM
Printing speed: 70MM/S
Printer service life: 50KM
Roll diameter: Max. 40MM

NFC
Frequency: 13.56MHz
Read and Write speed: 106K-848K Bits/s
Protocol: ISO/IEC 18092 (ECMA 340)



3G& Wifi

Wireless Data: 2G/3G(GSM+WCDMA);
GSM(850/900/1800/1900);
WCDMA(850/900/1900/2100)
WIFI: Single-band(2.4GHz) Single Stream;
Support 802.11 b/g/n
Bluetooth: Support V2.1+EDR, 3.0+HS, V4.0,
BLE, iBeacon
GPS: Support GPS, A-GPS
Interface: Micro USB2.0, support OTG, SIM Card Slot

Overseas Customer cases



TOUCH POS SYSTEM



TOMATES COEUR DE PIGEON
 Origine : France
 12,95 euros LE KILO
 Catégorie 1

TOMATES GREEN EXTRA
 Origine : France
 9,95 euros LE KILO
 Catégorie 1

HBA-Q1S	
CPU	intel J1900 Quad core 2.0GHz/J4125
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	11.6" Capacitive Touch (1366 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD(Optional)
Interfaces	DC-input *1; COM*1; VGA*1; LAN*1; Audio* 2; USB*5; RJ11* 1
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Printer	80mm thermal printer
Power Input	DC 12V, 7A
OS Support	Win10 Pro English OS
Weight	7.5KG
Material	ABS+PC



TOUCH POS SYSTEM



HBA-S100	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Standard Without VFD (VFD & 9.7" Second display Optional)
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM 1 x LPT Parallel Port 1 x PS/2 for keyboard 1 x 15 pin VGA female type 6 x USB
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	Single Screen: 6.5KG Dual Screen: 8.5KG
Dimensions	460*280*510mm



TOUCH POS SYSTEM



TOMATES CŒUR DE PIGEON
 Origine : France
 12,85 euros LE Kilo
 Catégorie 1

TOMATES GREEN EXTRA
 Origine : France
 9,85 euros LE Kilo
 Catégorie 1


HBA-GM10	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM (8G Optional)
SSD	64GB SSD (128G/256G Optional)
Operator Display	15.6" Capacitive Touch (1920 x 1080 resolution)
Customer Display	11.6" led screen
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	7KG
Dimensions	435*262*406mm



TOUCH POS SYSTEM



HBA-GM50	
CPU	J4105 Celeron 1.5Ghz quad core
RAM	4GB DDR4 (8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Standard Without VFD (VFD & 9.7" Second display Optional)
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM 1 x LPT Parallel Port 1 x PS/2 for keyboard 1 x 15 pin VGA female type 2 x USB 3.0 4 x USB 2.0
Audio	Line-out / Mic-in, 2 x stereo speakers with volume control
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	Single Screen: 6KG Dual Screen: 7KG
Dimensions	385*240*415mm



TOUCH POS SYSTEM



TOMATES COEUR DE PIGEON
 Origine : France
 12,95 euros LE Kilo
 Catégorie 1

TOMATES GREEN EXTRA
 Origine : France
 9,95 euros LE Kilo
 Catégorie 1

HBA-Q2 Folding	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Without
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	6KG
Dimensions	46*39*18.5cm



TOUCH POS SYSTEM



HBA-Q2X	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM (8G Optional)
SSD	64GB SSD (128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Without
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	8.8KG
Dimensions	460*280*510mm



TOUCH POS SYSTEM



TOMATES COEUR DE PIGEON
 Origine : France
 12,85 euros LE Kilo
 Catégorie 1

TOMATES GREEN EXTRA
 Origine : France
 9,85 euros LE Kilo
 Catégorie 1

HBA-Q2	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Without
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	8.85KG
Dimensions	460*280*510mm



TOUCH POS SYSTEM



HBA-Q2L	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Without
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	8.0KG
Dimensions	460*280*510mm

TOUCH POS SYSTEM



HBA-Q2 17Inch	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	Without
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	9.8KG
Dimensions	500*300*540mm

TOUCH POS SYSTEM



TOMATES CŒUR DE PIGEON
Origine : France
12,95 euros LE Kilo
Catégorie 1

TOMATES GREEN EXTRA
Origine : France
9,95 euros LE Kilo
Catégorie 1

HBA-Q3	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	8.6KG
Dimensions	460*300*520mm

TOUCH POS SYSTEM



HBA-Q5	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Thermal printer	80mm built in thermal printer
Power Input	DC 12V, 8A
OS Support	Windows 7/10
Weight	10KG
Dimensions	460*300*520mm

TOUCH POS SYSTEM



HBA-Q17	
Model	HBA-Q37
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Thermal printer	80mm built in thermal printer
Power Input	DC 12V, 8A
OS Support	Windows 7/10
Weight	10KG
Dimensions	460*300*520mm

TOUCH POS SYSTEM



HBA-Q27	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM (8G Optional)
SSD	64GB SSD (128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	9KG
Dimensions	460*300*520mm

TOUCH POS SYSTEM



HBA-Q37	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD
Interfaces	PCI-E LAN for 100Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 2x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Thermal printer	80mm built in thermal printer
Power Input	DC 12V, 8A
OS Support	Windows 7/10
Weight	10KG
Dimensions	460*300*520mm



HBA-X6	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(4G/8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Resistance Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD/13.3" led screen
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM 1 x LPT Parallel Port 1 x PS/2 for keyboard 1 x 15 pin VGA female type 2 x USB 3.0 4 x USB 2.0
Audio	Line-out / Mic-in, 2 x stereo speakers with volume control
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	6.5KG
Dimensions	410*260*430mm

HBA-ML-200	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD/15" led screen
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 1 x USB3.0 3x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	6.5KG
Dimensions	410*450*270mm

TOUCH POS SYSTEM



HBA-S300	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD/15" led screen
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM RS232 1 x LPT Parallel Port 1 x PS/2 for keyboard 1 x 15 pin VGA female type 2 x USB3.0 4 x USB 2.0
Audio	Line-out / Mic-in, 2 x stereo speakers with volume control
OS Support	Windows 7/10
Power Input	DC 12V, 5A
Weight	8KG
Dimensions	40.5*31*41cm

TOUCH POS SYSTEM



HBA-K6	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15.6" Capacitive Touch (1920 x 1080 resolution)
Customer Display	11.6" led screen
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB3.0 4x USB 2.0
Audio	Line-out / Mic-in, 2 x stereo speakers with volume control
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	8.2KG
Dimensions	48*32*46cm

TOUCH POS SYSTEM



TOMATES COEUR DE PIGEON
 Origine : France
 12,95 euros LE KILO
 Catégorie 1

TOMATES GREEN EXTRA
 Origine : France
 9,95 euros LE KILO
 Catégorie 1

HBA-K10	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	2 Line x 20 Characters VFD
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM RS232 2 x USB3.0 4 x USB 2.0
Audio	Realtek ALC662 5.1 Channel HAD Codec, Support MIC/Line-out ports
Power Input	DC 12V, 5A
OS Support	Windows 7/10
Weight	7KG
Dimensions	440*410*435mm



TOUCH POS SYSTEM



TOMATES CŒUR DE PIGEON
Origine : France
12,95 euros LE Kilo
Catégorie 1

TOMATES GREEN EXTRA
Origine : France
9,95 euros LE Kilo
Catégorie 1

HBA-S500

CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	VFD 220 customer display
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM RS232 1 x LPT Parallel Port 1 x RJ11 drawer interface 1 x PS/2 for keyboard 1 x 15 pin VGA female type 2 x USB 3.0 4 x USB 2.0
Printer	Built in 80mm thermal printer
Power Input	DC 12V, 8A
OS Support	Windows 7/10
Weight	8KG
Dimensions	420*325*500mm

TOUCH POS SYSTEM



TOMATES COEUR DE PIGEON
 Origine : France
 12,95 euros LE KILO
 Catégorie 1

TOMATES GREEN EXTRA
 Origine : France
 9,95 euros LE KILO
 Catégorie 1

HBA-X10	
CPU	Intel Core i3 (Dual Core 1.8Ghz)
RAM	4GB DDR3 1600/1333MHz, 1x SO-DIMM(8G Optional)
SSD	64GB SSD(128G/256G Optional)
Operator Display	15" Capacitive Touch (1024 x 768 resolution)
Customer Display	VFD 220 customer display
Interfaces	PCI-E LAN for 1000Mbps Ethernet 1 x COM RS232 1 x 15 pin VGA female type 2 x USB 3.0 4 x USB 2.0
Printer	Built in 80mm thermal printer
Power Input	DC 12V, 8A
OS Support	Windows 7/10
Weight	7.8KG
Dimensions	500*470*340mm



Our Domestic Partners



Guangdong Jingzhu highway Service Area, over 100pcs pos system used.



Nearly 2000 stores of XIN PIN PU ZI, used our pos system more than 1500pcs.




BAI YI shopping mall, every single store used 80pcs pos system from HBAPOS.



YOU RU XUAN,
Chain store for
Sheep dairy
products



WAN FANG
Shopping Center,
used 120pcs pos
system for every
store.



North America

- Mexico
- Canada
- Dominican Republic
- Trinidad and Tobago
- Costa Rica
- the United States

South America

- Peru
- Uruguay
- Columbia
- Ecuador
- Chile

Europe

- Spain
- Russia
- Ukraine
- Germany
- Estonia
- Italy
- Norway
- Slovenia
- United Kingdom
- Romania

Africa

- Sudan
- Mauritius
- Algeria
- Kenya
- Zimbabwe
- Zambia

Oceania


- Australia
- Fiji islands

Asia

- Iraq
- India
- Oman
- Turkey
- Myanmar
- Kazakhstan
- united Arab emirates
- Saudi Arabia
- Mongolia
- Indonesia
- Vietnam
- Armenia
- Dubai
- China
- Laos
- Yemen
- Kuwait
- Thailand
- Cambodia
- The Philippines
- Bangladesh
- Malaysia
- Singapore
- Lebanon
- Pakistan
- Jordan

Our Company Vision
To be the recognition brand in global retail industry.

Our Core competitiveness
Forward-looking international vision, deep technical accumulation, agile R&D innovation, flexible customized service, strong creative ability and quality assurance system.



▶ www.hbapos.com



Add: Unit 137, the Pacific Industry Park, Xintang Town, Zengcheng District, Guangzhou, China

Phone: 020-82784167

Alibaba website: <https://www.hbapos.com>

Email: info@hbapos.com